

Page 7, line 10, after "3'" insert --(SEQ ID NO:1)--;

line 11, after "T3'" insert --(SEQ ID NO:2).--;

line 23, after "3'" insert --(SEQ ID NO:3)--, and

line 28, after "3'" insert --(SEQ ID NO:4)--.

IN THE CLAIMS:

Please cancel claim 7 without prejudice or disclaimer of any of the subject matter contained therein.

1. (Amended) [An immunological] A test kit comprising

D1

a) a first immobilized reagent having affinity to a specific macromolecule, and

b) [characterized in] a second and a third affinity reagent specific for different [determinantes] determinants of said macromolecule, and modified with crosslinkable oligonucleotides, wherein a signal is generated when said second and third affinity reagents are bound to the same macromolecule.

C2

2. (Amended) [An immunological] The test kit according to claim 1, [characterized in that] wherein the

affinity reagents are antibodies, and [that] the macromolecule is a specific antigen.

3. (Amended) [An immunological] The test kit according to claim 1, **[characterized in that]** wherein the affinity reagents are lectins, receptors, single chain antibodies, cofactors [and] or nucleic acids.

4. (Amended) [An immunological] The test kit according to any one of the claims 1-3, **[characterized in that]** wherein the oligonucleotides are complementary to each other.

C<sup>2</sup>  
cont.  
5. (Amended) [An immunological] The test kit according to claim 1, **[characterized in that it further comprises]** further comprising a ligase.

6. An immunoassay for detection of a specific antigen, **[characterized in]** comprising:

DB  
a) contacting a sample suspected of containing said specific antigen with a first antibody linked to a solid support, said first antibody being specific for a first epitope on the antigen[,];

b) washing off excess reagents[,];

Sub Dr  
C2  
encl.  
c) incubating with a solution of a second and a third antibody specific for a second and a third epitope of said antigen, and modified with crosslinkable oligonucleotides [enabling conjugation of] wherein

said second and third antibody become crosslinked when both are bound to the said, ~~same~~ antigen,

d) washing off excess reagents,

e) amplifying said crosslinked oligonucleotides, and

f) detecting the amplified products.

C3  
E  
8. (Amended) An immunoassay according to claim 6 or 7, [characterized in that] further comprising adding an oligonucleotide <sup>conjugatable</sup> complementary to the ~~crosslinkable~~ oligonucleotides [is added] <sup>during step (c)</sup> before step d).

Please add the following new claims:

C4  
E  
D  
--9. An immunoassay according to claim 6, wherein <sup>Said</sup> ~~aid~~ <sup>conjugatable</sup> ~~crosslinkable~~ oligonucleotides are complementary.--

Sub G4  
D  
--10. An immunoassay according to claim 8 ~~or 9~~, further comprising adding a ligase before step d).--